## H series

H series laser tube is the latest research and development achievement of our company. The product technology is mature and the quality is table and reliable. The use of the latest technologies to improve the stability of the product stucture, to some extent improve the spot output mode. Compared with other types of products, it has the characteristics of "excellent spot beam, far convergence, and easy installation".

## Technical Parameter

型号 Model	长度 Len. (mm)	额定功率 Rated Power (W)	最大功率 Max. Power (W)	外径 Dia. (mm)	起辉电压 Ignition Voltage (kV)	工作电压 Working Voltage (kV)	工作电流 Working Current (mA)	建议工作电流 Recommend Working Current (mA)	催化剂 Catalyst	功率 不稳定度 Power Instability (%)	用途 Application	质保期 Warranty (M)
H1	1100	75	90	Φ60±2	24	18	20	16	yes	≤ 5	雕刻、切割 Engraving,Cutting	10
H2	1250	90	100	Ф60±2	28	20	26	21	yes	≤ 5	雕刻、切割 Engraving,Cutting	10
H4	1450	100	130	Ф60±2	31	22	28	22	yes	≤ 5	雕刻、切割 Engraving,Cutting	10
H6	1650	130	160	Ф70±2	33	24	30	24	yes	≤ 5	雕刻、切割 Engraving,Cutting	10
Н8	1850	150	180	Φ70±2	34	22	35	28	yes	≤ 5	雕刻、切割 Engraving Cutting	10

